according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KAJO-Langzeitfett LZR 2
- · Article number: 61320000
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Lubricant for Industrial use
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Derfal Limited, North West Business Park, Collooney, Co. Sligo, F91PPT0 Ireland Ph: 0719130033

· 1.4 Emergency telephone number:

In England and Wales: Call NHS 111 - dial 111 or a doctor

In Scotland: Call NHS 24 - dial 111

In N Ireland: Contact your local GP or pharmacist during normal hours; visit www.gpoutofhours.hscni.net/

for GP services Out-of-Hours. In Republic of Ireland: 01 809 2166

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description:

Mixture of substances that are not subject to labeling according to CLP and / or substances subject to labeling with a content below the limit of consideration according to CLP

- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

- GB -

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- **General information:**

In case of persistent symptoms consult doctor.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

carbon dioxide

sulfur oxides

Smoke

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

Cool endangered containers with water spray from a safe distance.

Do not inhale explosion and combustion gases.

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid contact with skin and eyes.

· Information about fire - and explosion protection: Protect against electrostatic charges.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 10-13
- · 7.3 Specific end use(s) See product information sheet!

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

Where protection is desired:

Respirator with combination filter for vapor and particulate (EN 141).

Respirators and components must be tested and approved under appropriate government standards such as NIOSH. (U.S.) or CEN (EU).

Protection of hands:



Recommendation: Chemical resistant protective gloves (EN 374)

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level 6 = >480

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Supplementary note: The specifications are based on own tests, literature data and information of glove manufacturers, or is derived by analogy with similar substances. It should be noted, that the practical usage of a chemical-protective glove can in practice due to many influencing factors (eg temperature) may be considerably shorter than the permeation time determined through testing. Due to the large variety the instructions of the manufacturer must be observed.

· Eye protection:



Use safety glasses according to EN 166: 2001.

· Body protection:

Impervious protective clothing

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

Non-slip shoes recommended

(Contd. of page 3)

SECTION 9: Physical and chemical properties

- · General Information
- · Appearance:

Form: Pasty Colour: Blue

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** Undetermined. **Drip point:** >180 °C

· Flash point: Not applicable.

Flammability (solid, gas): Not determined.
 Ignition temperature: >350 °C

· Decomposition temperature: Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower:

Upper: Not determined.

· Vapour pressure: Not applicable.

· Density: Not determined.

· Relative density Not determined.

Relative density
 Vapour density
 Evaporation rate
 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. Kinematic: Not applicable.

· Solvent content:

 VOC (EC)
 0.00 %

 VOC (EU)
 0.0 g/l

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

(Contd. of page 4)

- · 10.4 Conditions to avoid Avoid open flames.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Small amounts can be disposed with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

The waste disposal keys mentioned show recommendations based on the intended use of this product. Due to the special use and disposal conditions of the user, other waste codes can also be assigned. (2014/955/EU)

· European waste catalogue		
07 06 99	wastes not otherwise specified	
12 01 12*	spent waxes and fats	
	(Contd. on page 6)	

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Department of Environmental Health and Safety:
- Contact: Dr. John, Mail: sds@kajo.de
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Sources

Regulations:

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 06.02.2018 Version number 12 Revision: 06.02.2018

Trade name: KAJO-Langzeitfett LZR 2

(Contd. of page 6)

REACH Regulation (EC) No 1907/2006 as last amended by Regulation (EU) No 2016/2235

Regulation (EC) No 1272/2008, as last amended by Regulation (EC) No 2016/1179

Internet:

http://www.baua.de

http://www.arbeitssicherheit.de

http://www.dguv.de/ifa/de/gestis/stoffdb

http://logkow.cisti.nrc.ca

https://echa.europa.eu

Ordinance on facilities for the handling of water-endangering substances of 21.04.2017 (WGK classification)

* Data compared to the previous version altered.

GR —