



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name: **FERROGRANUL 20**  
CAS Number: 7782-63-0  
EC number: 231-753-5  
Index number: 026-003-01-4  
REACH Registration number: 01-2119513203-57-xxxx

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Identified uses of the substance or mixture**

Precipitant and flocculant  
Municipal sewage treatment  
Water treatment  
Chromate reduction in cement  
Use in landremediation  
Fertiliser production  
Chlorosis control

**Uses advised against**

None

**1.3 Details of the supplier of the safety data sheet**

Manufacturer/Supplier: KRONOS INTERNATIONAL, Inc.  
Peschstraße 5  
51373 Leverkusen, Germany  
Tel.: INT +49 214 356-0

**Informing department:**

KRONOS ecochem  
Tel.: INT + 49 214 - 356-0  
Fax: INT + 49 214 - 44117  
E-mail: kronos.ecochem@kronosww.com

**1.4 EMERGENCY TELEPHONE NUMBER:**

KRONOS INTERNATIONAL, Inc. (Germany)  
Tel.: INT + 49 214 356-4444

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

**2.2 Label elements**

Labelling according to  
Regulation (EC) No 1272/2008  
Hazard pictograms

The substance is classified and labelled according to the CLP regulation.



GHS07

**(Contd. on page 2)**



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 1)

<b>Signal word</b>	Warning
<b>Hazard-determining components of labelling: Hazard statements</b>	Ferrous sulphate heptahydrate H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.
<b>Precautionary statements</b>	P280 Wear protective gloves / eye protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

**SECTION 3: Composition/information on ingredients****3.1 Chemical characterization: Substances**

**CAS No. Designation:** 7782-63-0 iron(II) sulfate (1:1) heptahydrate  
**EC number:** 231-753-5  
**Index number:** 026-003-01-4

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**After inhalation:** Supply fresh air; consult doctor in case of symptoms.

**After skin contact:** Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult doctor.

**After swallowing:** Rinse out mouth and then drink plenty of water. Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

(Contd. on page 3)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 2)

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet.

**5.2 Special hazards arising from the substance or mixture**Sulphur dioxide (SO<sub>2</sub>)**5.3 Advice for firefighters**

**Protective equipment:** Use protective measures that suit the hazard conditions.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment.

**6.2 Environmental precautions:**

Do not allow to enter the ground/soil uncontrolled.  
Do not allow to enter drainage system, surface or ground water.  
If material reaches soil inform authorities responsible for such cases.  
Inform respective authorities in case product reaches water or sewage system.

**6.3 Methods and material for containment and cleaning up:**

Collect mechanically.  
Dispose of contaminated material as waste according to item 13.

**6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**SECTION 7: Handling and storage****Handling:****7.1 Precautions for safe handling**

No special precautions necessary if used correctly.

**Information about protection against explosions and fires:**

The product is not inflammable.

**7.2 Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and containers:**

Suitable material for containers and pipes: Plastics and steel.

**Information about storage in one common storage facility:**

Not required.

**Further information about storage conditions:**

Store under dry conditions.  
Protect from heat and direct sunlight.  
Storage temperature <30°C

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 3)

**7.3 Specific end use(s)** There are no further specific end uses than those named in section 1.2.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical systems:** No further data; see section 7.

**8.1 Control parameters****Components with critical values that require monitoring at the workplace:****CAS: 7782-63-0 Ferrous sulphate heptahydrate**WEL Short-term value: 2 mg/m<sup>3</sup>Long-term value: 1 mg/m<sup>3</sup>  
as Fe**DNELs****Worker**

Dermal (Worker): 13.95 mg/kg/d (Systemic long-term effects)

**Consumer**

Oral (Consumer): 99.6 mg/kg/d (Acute systemic effects)

1.4 mg/kg/d (Systemic long-term effects)

Dermal (Consumer): 6.97 mg/kg/d (Systemic long-term effects)

**PNECs**

Iron is an essential trace element for fish, aquatic invertebrates and plants. A direct toxicity could not be demonstrated in tests. Therefore no PNEC was derived.

**8.2 Exposure controls**

Information related to exposure control can be found in the respective exposure scenarios in the annex of the SDS.

**Personal protective equipment:****General protective and hygienic measures:**

Listed in section 8 are the general personal protection measures corresponding to the standard of the chemical industry. Specific information and detailed requirements are referred to in the exposure scenarios in the annex of the SDS. The usual precautionary measures should be adhered to in handling the chemicals.

**Breathing equipment:**

Details can be found in the exposure scenarios in the annex of the SDS.

**Protection of hands:**

Requirements according to EN 420  
Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended. Details on the material can be found in the exposure scenarios in the annex of the SDS.

**Material of gloves****Penetration time of glove material**

Details can be found in the exposure scenarios in the annex of the SDS.

**Eye protection:**

Tightly sealed safety glasses.

(Contd. on page 5)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 4)

**Body protection:** Protective work clothing.

**Limitation and supervision of exposure into the environment** Information related to exposure control can be found in the respective exposure scenarios in the annex of the SDS.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

**Form:** Crystalline  
**Colour:** Greenish  
**Smell:** Odourless  
**Odour threshold:** Not determined.

**pH-value (400 g/l) at 20°C:** 3.6

**Melting point/freezing point:** ca. 64°C  
**Initial boiling point and boiling range:** Not applicable

**Flash point:** Not applicable

**Flammability (solid, gas):** Product is not inflammable.

**Ignition temperature:** Not applicable

**Decomposition temperature:** Not applicable

**Self-flammability:** Product is not selfigniting.

**Explosive properties:** Product is not explosive.

**Vapour pressure:** Not applicable.

**Density:** 1.89 g/cm<sup>3</sup>

**Apparent density at 20°C:** 0.8 - 0.9 kg/l  
**Vapour density** Not applicable.  
**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**  
**Water at 10°C:** 365 g/l

**Partition coefficient: n-octanol/water:** Not applicable

**Viscosity:**  
**dynamic at 20°C:** 3 mPas  
(solution containing 365 g/l)

(Contd. on page 6)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 5)

**9.2 Other information** No further relevant information available.

\* **SECTION 10: Stability and reactivity**

- 10.1 Reactivity** The substance is stable under normal use conditions.
- 10.2 Chemical stability**  
**Thermal decomposition /**  
**Conditions to be avoided:** No decomposition if used and stored according to specifications.  
Loss of constitutional water on heating
- 10.3 Possibility of hazardous reactions** Not relevant
- 10.4 Conditions to avoid** No further data; see section 7.
- 10.5 Incompatible materials:** No further data; see section 7.
- 10.6 Hazardous decomposition products:** No further data; see section 5.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Harmful if swallowed.

**LD/LC50 values that are relevant for classification:**

Oral LD50 1,096 mg/kg (rat) (OECD 423)  
Dermal LD50 > 2,000 mg/kg (rat) (OECD 402)  
Inhalative LC50 -  
no relevant data available

**Primary irritant effect:**

**Skin corrosion/irritation** OECD 404:  
Causes skin irritation.

**Serious eye damage/irritation** OECD 405:  
Causes serious eye irritation.

**Respiratory or skin sensitisation** OECD 429 (LLNA-test):  
No sensitizing effects.

**Subacute to chronic toxicity:**

Oral NOAEL 274 mg/kg/d (rat) (OECD 422)  
Dermal NOAEL -  
no relevant data available  
Inhalative NOAEC -  
no relevant data available

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 6)

<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT-single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

<b>12.1 Toxicity</b>	Data are experimentally not accessible. Under standard test conditions, the ferrous ion, Fe <sup>2+</sup> , is unstable and is oxidised to the ferric, Fe <sup>3+</sup> , ion. Ferric iron salts have a high rate of conversion to insoluble ferric hydroxide, in consequence, Fe <sup>2+</sup> is to a great extent removed from the test system. Furthermore, iron plays an important role in biological processes, with iron homeostasis being under strict control. In conclusion, iron is not considered to be toxic to the aquatic environment under normal conditions.
<b>12.2 Persistence and degradability</b>	Not relevant for inorganic substances.
<b>12.3 Bioaccumulative potential</b>	Iron is a bioessential trace element for organisms and plays an important role in biological processes. The uptake of iron is strictly controlled by homeostatic process. In conclusion, bioaccumulation poses no concern.
<b>12.4 Mobility in soil</b>	The substance is immobile in soil.
<b>Additional ecological information:</b>	
<b>AOX-indication:</b>	<2 mg/kg
<b>12.5 Results of PBT and vPvB assessment</b>	The product is an inorganic substance and does not fulfill the criteria for PBZ and vPvB according to Annex XIII of REACH.
<b>PBT:</b>	Not applicable.
<b>vPvB:</b>	Not applicable.
<b>12.6 Other adverse effects</b>	No further relevant information available.

**SECTION 13: Disposal considerations**

<b>13.1 Waste treatment methods</b>	
<b>European waste catalogue</b>	Waste code number according to origin of waste
<b>Uncleaned packagings:</b>	
<b>Recommendation:</b>	Disposal according to official regulations

**SECTION 14: Transport information**

<b>14.1 UN-Number</b>	
<b>ADR/RID/ADN</b>	Not dangerous according to transport specifications.

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 7)

<b>ADN, IMDG, IATA</b>	not applicable
<b>14.2 UN proper shipping name</b>	
<b>ADR/RID/ADN, ADN, IMDG, IATA</b>	not applicable
<b>14.3 Transport hazard class(es)</b>	
<b>ADR/RID/ADN, ADN, IMDG, IATA</b>	
<b>Class</b>	not applicable
<b>14.4 Packing group</b>	
<b>ADR/RID/ADN, IMDG, IATA</b>	not applicable
<b>14.5 Environmental hazards</b>	Not an environmentally hazardous substance.
<b>14.6 Special precautions for user</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Listed.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations:****Water hazard class:** Water hazard class 1: slightly hazardous for water.**Other regulations, limitations and prohibitive regulations:****to observe:** KRONOS Technical Information 2.02  
"Transport, Storage and Metering: Granules"**15.2 Chemical Safety Assessment****Substances of very high concern (SVHC) according to REACH, Article 57**

The product is not listed as SVHC, it does not contain any substances of very high concern.

**Chemical safety assessment:** A Chemical Safety Assessment has been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing data specification sheet:**

Environment &amp; Safety

**Contact:**Michaela Müller  
Tel.: INT + 49 214 356-0  
e-mail: MSDS@kronosww.com**Abbreviations and acronyms:**RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)





**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

**Trade name: FERROGRANUL 20****(Contd. of page 8)**

CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

**\* Data compared to the previous  
version altered.**

Amended according to Regulation (EU) no 2015/830

**(Contd. on page 10)**

GB



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 9)

**Annex: Exposure scenario 1****1. Short title of the exposure scenario**

ES 1: Industrial use of FERROGRANUL 20

**2. Description of activities/ process(es) covered in the Exposure Scenario**

Water treatment: Use in the treatment of raw water in the supply of potable water and/or industrial process water  
Water treatment: Use in the treatment of raw water in the supply of potable water and/or industrial process water  
H<sub>2</sub>S-Elimination in biogas and water treatment plants  
Use in manufacture of cement (reduction of chromates)  
Land remediation application  
Use in agrochemicals  
Use as laboratory reagent  
Production of mixtures and solutions

**Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

**Process category**

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.  
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions  
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition  
PROC4 Chemical production where opportunity for exposure arises  
PROC5 Mixing or blending in batch processes  
PROC7 Industrial spraying  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)  
PROC15 Use as laboratory reagent  
PROC26 Handling of solid inorganic substances at ambient temperature

**Environmental release category**

ERC2 Formulation into mixture  
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)  
ERC5 Use at industrial site leading to inclusion into/onto article  
ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)  
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)  
ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

(Contd. on page 11)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 10)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

**3. Conditions of use****3.1 Duration and frequency****Worker**5-7 workdays/week  
Regular use with exposure up to 8 hours per workday.**Environment**Annual tonnage per site: up to 2000 t (Fe)  
Typical amount per lot: 25 (product)  
Emission days per site: 365**4. Physical parameters****4.1 Physical state**Solid  
Granulate**4.2 Concentration of the substance in the mixture**

Raw material.

**4.2 Concentration of substance in solution**

max. 500 g/l

**5. Other operational conditions determining exposure****5.1 Other operational conditions affecting environmental exposure**

None

**5.2 Other operational conditions affecting worker exposure**

None

**5.3 Other operational conditions affecting consumer exposure**

Not relevant for this Exposure Scenario.

**5.4 Other operational conditions affecting consumer exposure during the use of the product**

Not relevant for this Exposure Scenario.

**6.0 Risk management measures****6.1 Worker protection****6.1.1 Organisational protective measures**Handling procedures must be well documented.  
Provide Internal Plant Instruction.  
Ensure that activities are executed by specialists or authorised personnel only.**6.1.2 Technical protective measures**

No special precautions necessary if used correctly.

**6.1.3 Personal protective measures**General measures corresponding to the standard of the chemical industry:  
see SDS section 8 .  
Material of gloves and resistance:  
Polychloroprene  
Resistance to:

(Contd. on page 12)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 11)

Sulphuric acid  
Value for the permeation: Level  $\geq$  6  
Respiratory protection is necessary for spray application of the product (indoors and outdoors).  
EN 149: filter FFP2

**6.2 Measures for consumer protection**

Not relevant for this Exposure Scenario.

**6.3 Environmental protection measures****6.3.1 Air**

No relevant way of exposure.

**6.3.2 Water**

Product is used for water treatment and is completely consumed in this application.  
Product is completely consumed in this application.

**6.3.3 Soil**

Product is used as part of agrochemicals.  
Product is used for soil treatment.

**6.4 Notes**

In case of unintended release of the product: See section 6 of the Safety Data Sheet.

**7. Waste related measures****7.1 Disposal procedures**

Disposal according to official regulations  
Waste code number according to origin of waste

**7.2 Waste type**

Solid product residues  
Aqueous solution

**8. Exposure estimation****Worker (oral)**

No significant oral exposure

**Worker (dermal)**

The highest dermal exposure to the substance to be expected is 0.0017 mg/kg/day (PROC 1, 3).  
The highest dermal exposure for the substance to be expected is 0.0034 mg/kg/day (PROC 2, 5, 8b, 9)  
The highest dermal exposure for the substance to be expected is 0.017 mg/kg/day (PROC 15)  
The highest dermal exposure for the substance to be expected is 1.41 mg/kg/day (PROC 26)  
The highest dermal exposure for the substance to be expected is 3.43 mg/kg/day (PROC 4)  
The highest dermal exposure to the substance in solution to be expected is 3.43 mg/kg/day (PROC 7).  
The exposure estimation was carried out in accordance with ECETOC TRA.

**Worker (inhalation)  
RCR (Risk Characterisation Ratio)**

No significant inhalative exposure

Poměr rizikové charakteristiky (RCR, celkem)  $< 1$  (0.0001 - 0.25), je možné předpokládat bezpečné používání, pokud jsou dodržena opatření pro řízení rizik podrobně popsána v bodě 6 přílohy.

(Contd. on page 13)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 12)

**Environment**

Since no PNECS were derived further assessment of the environmental exposure is not necessary.

**Consumer**

Not relevant for this Exposure Scenario.

**9. Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

(Contd. on page 14)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 13)

**Annex: Exposure scenario 2****1. Short title of the exposure scenario**

ES 2: Professional use of FERROGRANUL 20

**2. Description of activities/ process(es) covered in the Exposure Scenario**

Water treatment: Use in the treatment of raw water in the supply of potable water and/or industrial process water  
Water treatment: Use in the treatment of raw water in the supply of potable water and/or industrial process water  
H<sub>2</sub>S-Elimination in biogas and water treatment plants  
Use in manufacture of cement (reduction of chromates)  
Land remediation application  
Use in agrochemicals  
Use as laboratory reagent  
Production of mixtures and solutions

**Sector of Use**

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Process category**

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions  
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition  
PROC4 Chemical production where opportunity for exposure arises  
PROC5 Mixing or blending in batch processes  
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities  
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities  
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)  
PROC11 Non industrial spraying  
PROC15 Use as laboratory reagent  
PROC19 Manual activities involving hand contact  
PROC26 Handling of solid inorganic substances at ambient temperature

**Environmental release category**

ERC2 Formulation into mixture  
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)  
ERC8c Widespread use leading to inclusion into/onto article (indoor)  
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)  
ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)  
ERC8f Widespread use leading to inclusion into/onto article (outdoor)

**3. Conditions of use****3.1 Duration and frequency**

5 workdays/week.

(Contd. on page 15)



Safety data sheet  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 14)

<b>Worker</b>	Regular use with exposure up to 8 hours per workday.
<b>Environment</b>	Annual tonnage per site: up to 1000 t (Fe) Typical amount per lot: 25 (product) Emission days per site: 365
<b>4. Physical parameters</b>	
<b>4.1 Physical state</b>	Solid Fluid
<b>4.2 Concentration of the substance in the mixture</b>	Raw material.
<b>4.2 Concentration of substance in solution</b>	max. 500 g/l
<b>5. Other operational conditions determining exposure</b>	
<b>5.1 Other operational conditions affecting environmental exposure</b>	None
<b>5.2 Other operational conditions affecting worker exposure</b>	None
<b>5.3 Other operational conditions affecting consumer exposure</b>	Not relevant for this Exposure Scenario.
<b>5.4 Other operational conditions affecting consumer exposure during the use of the product</b>	Not relevant for this Exposure Scenario.
<b>6.0 Risk management measures</b>	
<b>6.1 Worker protection</b>	
<b>6.1.1 Organisational protective measures</b>	Handling procedures must be well documented. Provide Internal Plant Instruction. Ensure that activities are executed by specialists or authorised personnel only.
<b>6.1.2 Technical protective measures</b>	No special precautions necessary if used correctly. Ensure that suitable extractors are available on processing machines
<b>6.1.3 Personal protective measures</b>	General measures corresponding to the standard of the chemical industry: see SDS section 8 . Material of gloves and resistance: Polychloroprene Resistance to: Sulphuric acid Value for the permeation: Level $\geq$ 480 min (EN 374) Respiratory protection is necessary for spray application of the product (indoors and outdoors).

(Contd. on page 16)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 15)

EN 149: filter FFP2

**6.2 Measures for consumer protection**

Not relevant for this Exposure Scenario.

**6.3 Environmental protection measures****6.3.1 Air**

No relevant way of exposure.

**6.3.2 Water**

Product is used for water treatment and is completely consumed in this application.

**6.3.3 Soil**Product is used as part of agrochemicals.  
Product is used for soil treatment.**6.4 Notes**

In case of unintended release of the product: See section 6 of the Safety Data Sheet.

**7. Waste related measures****7.1 Disposal procedures**Disposal according to official regulations  
Waste code number according to origin of waste**7.2 Waste type**Solid product residues  
Aqueous solution**8. Exposure estimation  
Worker (oral)**

No significant oral exposure

**Worker (dermal)**

The highest dermal exposure for the substance to be expected is 0.0017 mg/kg/day (PROC 3)  
The highest dermal exposure for the substance to be expected is 0.0034 mg/kg/day (PROC 2, 5, 8b, 9)  
The highest dermal exposure to the substance to be expected is 0.017 mg/kg/day (PROC 15).  
The highest dermal exposure for the substance to be expected is 1.41 mg/kg/day (PROC 26)  
The highest dermal exposure for the substance to be expected is 3.43 mg/kg/day (PROC 4, 19)  
The highest dermal exposure for the substance to be expected is 6.86 mg/kg/day (PROC 8a)  
The highest dermal exposure to the substance in solution to be expected is 3.43 mg/kg/day (PROC 11).  
The exposure estimation was carried out in accordance with ECETOC TRA.

**Worker (inhalation)  
RCR (Risk Characterisation Ratio)**

No significant inhalative exposure

Poměr rizikové charakteristiky (RCR, celkem) <1 (0.0001 - 0.49), je možné předpokládat bezpečné používání, pokud jsou dodržena opatření pro řízení rizik podrobně popsána v bodě 6 přílohy.

**Environment**

Since no PNECS were derived further assessment of the environmental exposure is not necessary.

(Contd. on page 17)

GB





**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.04.2020

Version number 5.00

Revision: 24.04.2020

Trade name: FERROGRANUL 20

(Contd. of page 16)

**Consumer**

Not relevant for this Exposure Scenario.

**9. Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

GB