

Lubricants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 9-5-2018 Revision date: 28-8-2018 Supersedes: 9-5-2018 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Ultrafarm 10W30 Trade name Product code : ST-A.11.01 Type of product : Use in lubricants Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

: Industrial use, Professional use, Consumer use Main use category

Use of the substance/mixture : Engine oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Maxol Lubricants,

Unit D, Airport Business Campus,

Santry, Dublin 9

Ireland

Tel: 01 8060300

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid,

Triphenyl phosphite, Benzene, polypropene derivatives, sulfonated, calcium salts. May

produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

> EN (English) 1/9



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	(CAS-No.) 4259-15-8 (EC-No.) 224-235-5 (REACH-no) 01-2119493635-27	1 - 5	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium branched alkyl phenate sulphide (overbased)	(EC-No.) Polymer	0,1 - 2,5	Aquatic Chronic 4, H413
C14-C18 alpha-olefin epoxide, reaction products with boric acid	(EC-No.) 939-580-3	0,1 - 1	Skin Sens. 1B, H317
Benzene, polypropene derivatives, sulfonated, calcium salts	(EC-No.) Polymer	0,1 - 1	Skin Sens. 1B, H317
triphenyl phosphite	(CAS-No.) 101-02-0 (EC-No.) 202-908-4 (EC Index-No.) 015-105-00-7 (REACH-no) 01-2119511213-58	< 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
O,O,O-triphenyl phosphorothioate	(CAS-No.) 597-82-0 (EC-No.) 209-909-9 (REACH-no) 01-2119979545-21	< 1	Repr. 2, H361fd
Phenol, dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	< 0,1	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360FD Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Comments

: * contains one or more of the following CAS-numbers (REACH registration numbers): 64741-88-4 (01-211948706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40), 64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48), 72623-85-9 (01-211955262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 74869-22-0 (01-2119495601-36)

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under

anticipated conditions of normal use.

Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat.

Storage temperature : 0 - 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Multitrac 10W30	Mul	ltitr	ac	10	W	30	U
-----------------	-----	-------	----	----	---	----	---

EU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can

occur the following is recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	5 (> 240 minutes), 6 (> 480 minutes)	>=0,35		EN 374

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Lubricants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):





Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour · brown Odour : characteristic. Odour threshold : No data available рΗ · No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable

Freezing point : -36 °C - ASTM D5950 (pour point)

Boiling point : No data available

Flash point : 220 °C - ASTM D92 (COC)

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available

: 0,861 kg/l (15 °C) - ASTM D4052 Density Solubility : Water : Practically not miscible.

Log Pow : No data available

Viscosity, kinematic : 68 mm²/s (40 °C) - ASTM D7279

Viscosity, dynamic : No data available

Explosive properties : Presents no particular fire or explosion hazard.

Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified : Not classified Acute toxicity (inhalation)

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

LD50 oral rat 3100 mg/kg (OECD 401 method)



5/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	> 5000 mg/kg (OECD 402 method)	
--------------------	--------------------------------	--

triphenyl phosphite (101-02-0)

LD50 oral rat 1600 mg/kg

Phenol, dodecyl-, branched (121158-58-5)	
LD50 oral rat	2100 mg/kg (OECD 401 method)
LD50 dermal rabbit	15000 mg/kg (OECD 402 method)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Multitrac 10W30

Aspiration hazard

Viscosity, kinematic 68 mm²/s (40 °C) - ASTM D7279

: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
LC50 fish 1	4,4 mg/l (Oncorhynchus mykiss, 96h) [OECD 203]
EC50 Daphnia 1	75 mg/l (Daphnia magna, 48h) [OECD 202]
ErC50 (algae)	> 240 mg/l (Desmodesmus subspicatus, 72h)

Calcium branched alkyl phenate sulphide (overbased)	
LC50 fish 1	> 1000 mg/l
EC50 Daphnia 1	> 1000 mg/l
EC50 96h algae (1)	> 1000 mg/l

C14-C18 alpha-olefin epoxide, reaction products with boric acid	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l
NOEC chronic crustacea	100 mg/l

triphenyl phosphite (101-02-0)	
EC50 Daphnia 1	0,94 mg/l

Phenol, dodecyl-, branched (121158-58-5)	
LC50 fish 1	40 mg/l (Pimephales promelas, 96h) (OECD 203 method)
EC50 Daphnia 1	0,037 mg/l (Daphnia magna, 48h) (OECD 202 method)
EC50 72h algae (1)	0,15 mg/l (Desmodesmus subspicatus, 72h) (OECD 201 method)
NOEC (chronic)	0,0037 mg/l (Daphnia magna, 21d) (OECD 211 method)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degrada	ability
-------------------------------	---------

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

Biodegradation 5 % (closed bottle 28d.)

triphenyl phosphite (101-02-0)

Biodegradation 0,1 % (closed bottle 28d.)

Phenol, dodecyl-, branched (121158-58-5)

Biodegradation 25 % Sturm (28 d)

12.3. Bioaccumulative potential

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)

	Log Pow	3,59
	Log Kow	3,6 (octanol/water 0.1d)

Calcium branched alkyl phenate sulphide (overbased)

BCF fish 1	2,2
Log Kow	11,08

C14-C18 alpha-olefin epoxide, reaction products with boric acid

Log Kow 9,4

triphenyl phosphite (101-02-0)

Log Kow 6,62 (octanol/water 0.1d.)

Phenol, dodecyl-, branched (121158-58-5)

	· ·
Bioconcentration factor (BCF REACH)	2,9 (27 d)
Log Pow	7,1
Log Kow	7.1 Octanol-water coefficient (0.1 d)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. European List of Waste (LoW) code : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:			
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Multitrac 10W30 - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)		
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	C14-C18 alpha-olefin epoxide, reaction products with boric acid - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)		
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	C14-C18 alpha-olefin epoxide, reaction products with boric acid - triphenyl phosphite - zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)		

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content : 0 %

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Indication of changes: Section Changed item Change Comments Date of issue Modified 3 Modified Composition/information on ingredients 4.1 First-aid measures after ingestion Modified 5.2 Modified Hazardous decomposition products in case of fire





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.1 Waste tree Abbreviations and acronyms: ADN ADR ATE BCF CLP DMEL DNEL	-	concerning the International Carriage	e of Dangerous Goods by Inland Waterways
ADN ADR ATE BCF CLP DMEL	European Agreement of Acute Toxicity Estimate	concerning the International Carriage	
DR TE BCF CLP DMEL	European Agreement of Acute Toxicity Estimate	concerning the International Carriage	
TE BCF CLP DMEL	Acute Toxicity Estimate		
BCF CLP DMEL	•		of Dangerous Goods by Road
DMEL	Bioconcentration factor		
DMEL	1 1 1 1		
	Classification Labelling	Packaging Regulation; Regulation (EC) No 1272/2008
NIEI	Derived Minimal Effect	level	
INLL	Derived-No Effect Leve	el	
EC50 Median effective conce		entration	
ARC	International Agency fo	r Research on Cancer	
ATA	International Air Transp	oort Association	
MDG	International Maritime [Dangerous Goods	
C50	Median lethal concentra	ation	
D50	Median lethal dose		
OAEL	Lowest Observed Adve	erse Effect Level	
IOAEC	No-Observed Adverse	Effect Concentration	
IOAEL	No-Observed Adverse	Effect Level	
IOEC	No-Observed Effect Co	oncentration	
DECD	Organisation for Econo	mic Co-operation and Development	
PBT	Persistent Bioaccumula	ative Toxic	
NEC	Predicted No-Effect Co	ncentration	
REACH	Registration, Evaluation	n, Authorisation and Restriction of C	hemicals Regulation (EC) No 1907/2006
RID	Regulations concerning	g the International Carriage of Dange	erous Goods by Rail
PvB	Very Persistent and Ve	ry Bioaccumulative	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H319	Causes serious eye irritation.	
H360FD	May damage fertility. May damage the unborn child.	
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
EUH208	Contains C14-C18 alpha-olefin epoxide, reaction products with boric acid, Triphenyl phosphite, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product