

SIMPLIFIED SAFETY INSTRUCTION NOVOSPRAY

Version 2.1 Print Date: 2023-04-01 (in accordance with the safety data sheet - Version: 7.0)

HAZARDS / RISKS



Dange

Substance(s) leading to the classification of the product : $1\% \le L-(+)$ -lactic acid $\le 5\%$

Hazard statement(s): H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects.

PERSONAL PROTECTION



Hand protection: For prolonged or frequent contact, class 3 or higher superior protection gloves are recommended (Entry time over 60 minutes according to EN374).

Eye/face protection: Wear safety goggles compliant with standard EN 166.

Respiratory protection: No special protection measure is required.

Skin/body protection : Wear protective work clothes

Specific hygiene measures: Safety shower and eye wash fountain near to workplace. Work procedures have to be drawn up in order to minimize the contact of the operator with the product. To handle in well ventilated zones. After using, wash systematically all personal protective equipment.

FIRST AID









Skin contact: Wash with plenty of soap and water.

Eye contact: Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Get medical advice.

Inhalation: Bring to fresh air.

Fire-fighting measures :

Specific risks: In the event of fire, emission of pollutant gases and irritating vapors.

Recommended extinguishing means: All the extinction agents are usable. Agents compatible with other products involved into fire.

Extinguishing means to be avoided: None from our knowledge.

Protective equipments: Wear independent respiratory equipment and protective suit. Collect contaminated firefighting water separately, must not be discharged into the drains. Keep containers cool by spraying with water if exposed to fire.

Emergency phone number 112 / 911

STORAGE / ENVIRONMENT / WASTE TREATMENT

Storage: Keep in a clean, cool and well-ventilated place away from sources of heat and intense light. Keep only in original packaging. Keep container closed.

Small spillage: Absorb on inert material. Pump in a reservoir of help.

Large spillage: Mark out, soak up with an inert absorbant and pump in an emergency tank. Never return spills in original containers for re-use. Keep in suitable, properly labelled and closed containers for disposal.

Waste treatment: Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.